

STALFLEX®

Fibre optic solutions | RACK Standard

PRODUCT CATALOG

STALFLEX SP. Z O.O.

SELLER SPECIALIST

ROY COUGHLAN
+48 669 234 567
ROYCOUGHLAN@GMAIL.COM

PARTNER CODE:

WHEN CONTACTING THE CUSTOMER SERVICE INDICATE THE **ROY**

CUSTOMER SERVICE OFFICE
+48 608 560 559
BOK@STALFLEX.PL

TABLE OF CONTENT

RACK DEVICES 10" / 19"

SERIES C

RACK CABINETS 6

SERIES B

LED PANELS 8
FIXED SHELVES 9
ADJUSTABLE SHELVES 10

SERIES A

RACK CABINETS 12

RACK CASES 15
RACK DRAWERS 16
FIXED SHELVES RACK 17
ADJUSTABLE SHELVE RACKS 18
PULL-OUT SHELVES 19
VOLTAGE DISTRIBUTION PANELS 20
COVER PANELS 21
BRUSH CABLE ORGANISERS 22
RACK ORGANISERS 23
WALL-MOUNTED RACK HANDLES 24
RACK STANDS 25

FIBRE-OPTIC NETWORKS

FIBRE-OPTIC DRAWERS 28
PATCH PANELS 29
MODULAR PATCH PANELS 30
FIXED PATCH PANEL DRAWERS 31

METAL CASES

SURFACE-MOUNTED MANIFOLD CABINETS 34
TELECOMMUNICATION SURFACE MOUNTED BOXES 36
UNIVERSAL CASES 38
TPR CASES 39
OMP CASES 40

CAMERA MOUNTS

POLE MOUNTS 44
CORNER MOUNTS 45
BRACKET MINI LOCO 46

Our mission !

We are increasing recognition
of the STALFLEX brand on the national
and foreign markets and
building a network
of distributors in Europe.



Who are we?

Stalflex is a team of professionals with many years of experience,
advanced technical knowledge and access to state-of-the-art equipment.
The combination of these three factors guarantees quality, precision and finally
the satisfaction of our customers.
We are a Polish manufacturer of metal products for telecommunication.
However, we do not limit ourselves to one type of products - we also make
workshop equipment and other metal articles.

We care about quality at every stage of order completion, from production through
professional consulting up to customer service.
We are happy to take on new challenges, which is why our offer is flexible
and our products are ideally suited to customers needs and attractively priced.

Technology

Teamwork

Global thinking



How did it all start?

We started in 2015 ready to work hard. With faith, vision and high ambitions. Our first headquarters in Smardzewice was a small - although meeting our needs at the time - building where we provided services of laser cutting of metal sheets, as well as bending, welding, riveting.

We gradually developed our range of services, continuing to invest in quality equipment and competent staff.
The continuous development of our company was the reason why in the middle of 2018 we moved to Tomaszów Mazowiecki, to new, much larger premises. We currently occupy 2 buildings and are constantly expanding our production and warehouse space. To meet the needs of our customers, we have invested in modern equipment, started selling our own products and promoting the brand in Poland and abroad.

„ Every problem is a gift - without problems we would not grow. ”

- Anthony Robbins

- Lock with a set of two keys
- Secure package
- for self-assembly
- Flat pack
- assembly kit included

RACK DEVICES 10” / 19”

SERIES C

RACK CABINETS 6

SERIES B

LED PANELS 8
FIXED SHELVES 9
ADJUSTABLE SHELVES 10

SERIES A

RACK CABINETS 12


RACK CASES 15
RACK DRAWERS 16
FIXED SHELVE RACKS 17
ADJUSTABLE SHELVES RACK 18
PULL-OUT SHELVES 19
VOLTAGE DISTRIBUTION PANELS 20
COVER PANELS 21
BRUSH CABLE ORGANISERS 22
RACK ORGANISERS 23
WALL-MOUNTED RACK HANDLES 24
RACK STANDS 25




Rack Devices 10” / 19”

TECHNICAL PARAMETERS:

- Cold rolled and powder coated sheet metal
- Cable grommets in the upper and lower part of the enclosure with stepless clearance adjustment
- Cable organizers inside the cabinet, on its sides and at the bottom and top
- Opening sides with the possibility of securing with a lock on both sides of the cabinet
- Higher standard lock
- Designer ventilation holes
- Possibility to mount from 4 to 8 fans on the top and bottom of the cabinet (screw spacing: 105 × 105 mm fan spacing: 120 × 120 mm)
- Glass front door with left or right side mounting option
- Front rack rail mounting adjustment every 30 mm
- Wall mounting, on feet and on casters
- Mounting kit with instructions included (lock with 2 keys, set of screws)"
- 19'' rack standard
- available height: 9U, 12U, 15U, 18U, 21U
- available depth: 450, 600 mm
- max load: 75kg
- Depth of mounted device for 450 mm deep cabinets = 370 mm; 600 mm = 520 mm
- available colors: RAL 9005 RAL 7035








POSSIBILITY TO MOUNT FEET

POSSIBILITY TO MOUNT WHEELS

19” RACK CABINETS with glass

SYMBOL	NAME
C-RC19-9U-450GG	RACK cabinet **19” 9U 450mm**, glass / grey, C series
C-RC19-9U-450GB	RACK cabinet **19” 9U 450mm**, glass / black, C series
C-RC19-9U-600GG	RACK cabinet **19” 9U 600mm**, glass / grey, C series
C-RC19-9U-600GB	RACK cabinet **19” 9U 600mm**, glass / black, C series
C-RC19-12U-450GG	RACK cabinet **19” 12U 450mm**, glass / grey, C series
C-RC19-12U-450GB	RACK cabinet **19” 12U 450mm**, glass / black, C series
C-RC19-12U-600GG	RACK cabinet **19” 12U 600mm**, glass / grey, C series
C-RC19-12U-600GB	RACK cabinet **19” 12U 600mm**, glass / black, C series
C-RC19-15U-450GG	RACK cabinet **19” 15U 450mm**, glass / grey, C series
C-RC19-15U-450GB	RACK cabinet **19” 15U 450mm**, glass / black, C series
C-RC19-15U-600GG	RACK cabinet **19” 15U 600mm**, glass / grey, C series
C-RC19-15U-600GB	RACK cabinet **19” 15U 600mm**, glass / black, C series
C-RC19-18U-450GG	RACK cabinet **19” 18U 450mm**, glass / grey, C series
C-RC19-18U-450GB	RACK cabinet **19” 18U 450mm**, glass / black, C series
C-RC19-18U-600GG	RACK cabinet **19” 18U 600mm**, glass / grey, C series
C-RC19-18U-600GB	RACK cabinet **19” 18U 600mm**, glass / black, C series
C-RC19-21U-450GG	RACK cabinet **19” 21U 450mm**, glass / grey, C series
C-RC19-21U-450GB	RACK cabinet **19” 21U 450mm**, glass / black, C series
C-RC19-21U-600GG	RACK cabinet **19” 21U 600mm**, glass / grey, C series
C-RC19-21U-600GB	RACK cabinet **19” 21U 600mm**, glass / black, C series



TECHNICAL PARAMETERS:

- Made of electrogalvanized steel and plastic
- Powder coated
- Compatible with 19” standard
- Assembly kit and instruction included
- Easy to install
- Dimensions: 495x85x55 mm
- Led specification: 6500K/405lm (21 diodes)
- Available colors: RAL 9005 RAL 7035





ASSEMBLY KIT INCLUDED

B SERIES

LED panel for 19" RACK cabinets


SYMBOL	NAME
B-RLF19-1U-B	LED panel for 19”, 1U, black, B series
B-RLF19-1U-G	LED panel for 19”, 1U, grey, B series

TECHNICAL PARAMETERS:

- Metal sheet DC01, protected against corrosion and powder coated
- Six-point mounting for front rack rails
  (Clips- four-point; screws- two-point)
- Numerous ventilation openings with the possibility to secure devices
  with cable ties
- Assembly kit included (set of screws)
- Standard RACK: 19”
- Available height: 1U
- Available depth: 200, 250, 300 mm
- Available colours: RAL 9005 RAL 7035



x 1,25 mm
thickness



ASSEMBLY KIT INCLUDED

B SERIES


19” FIXED SHELVES


SYMBOL	NAME
B-RSF19-1U-200G	Fixed shelf **19" 1U 200mm**, grey, B series
B-RSF19-1U-200B	Fixed shelf **19" 1U 200mm**, black, B series
B-RSF19-1U-250G	Fixed shelf **19" 1U 250mm**, grey, B series
B-RSF19-1U-250B	Fixed shelf **19" 1U 250mm**, black, B series
B-RSF19-1U-300G	Fixed shelf **19" 1U 300mm**, grey, B series
B-RSF19-1U-300B	Fixed shelf **19" 1U 300mm**, black, B series


TECHNICAL PARAMETERS:

- Metal sheet DC01, protected against corrosion and powder coated
- Six-point mounting for front rack rails
  (Clips- four-point; screws- two-point)
- Numerous ventilation openings with the possibility to secure devices
  with cable ties
- Assembly kit included (set of screws)
- Standard RACK: 19”
- Available height: 1U
- Available depth:350, 450, 550, 650 mm;
- Available colours: RAL 9005 RAL 7035









ASSEMBLY KIT INCLUDED

B series

19” ADJUSTABLE SHELVES


SYMBOL	NAME	RANGE OF ADJUSTMENT
B-RSA19-1U-350G	Adjustable shelf **19" 1U 350mm,** grey, B series	350-480
B-RSA19-1U-350B	Adjustable shelf **19" 1U 350mm,** black, B series	350-480
B-RSA19-1U-450G	Adjustable shelf **19" 1U 450mm,** grey, B series	450-580
B-RSA19-1U-450B	Adjustable shelf **19" 1U 450mm,** black, B series	450-580
B-RSA19-1U-550G	Adjustable shelf **19" 1U 550mm,** grey, B series	550-680
B-RSA19-1U-550B	Adjustable shelf **19" 1U 550mm,** black, B series	550-680
B-RSA19-1U-650G	Adjustable shelf **19" 1U 650mm,** grey, B series	650-780
B-RSA19-1U-650B	Adjustable shelf **19" 1U 650mm,** black, B series	650-780




Series A

TECHNICAL PARAMETERS:

- Metal sheet DC01, protected against corrosion and powder painted
- Cable entries in the upper and lower part of the enclosure
  (size of a single-blind: 80 x 50 mm)
- Numerous ventilation openings
- Fan support on the top and bottom of the enclosure
  (screw spacing: 105 x 105 mm)
- Front door: glazed / metal
- Rack rail adjustment over almost the entire height range of the enclosure.
- Wall mounting
- Assembly kit and instructions included
  (lock with 2 keys, set of screws)
- Rack standard: 10” / 19"
- Available height: (10”) 4U, 6U, 9U; (19”) 4U, 6U, 9U, 12U
- Available depth: (10”) 280, 300 mm (19”) 350, 450, 600 mm
- Available colours: RAL 9005 RAL 7035





ASSEMBLY KIT INCLUDED

10” RACK CABINETS

SYMBOL	NAME
RC10-6U-300MG	RACK cabinet **19” 6U 300mm**, metal / grey
RC10-6U-300GG	RACK cabinet **19” 6U 300mm**, glass / grey
RC10-6U-300MB	RACK cabinet **19” 6U 300mm**, metal / black
RC10-6U-300GB	RACK cabinet **19” 6U 300mm**, glass / black
RC10-9U-300MG	RACK cabinet **19” 9U 300mm**, metal / grey
RC10-9U-300GG	RACK cabinet **19” 9U 300mm**, glass / grey
RC10-6U-300MB	RACK cabinet **19” 6U 300mm**, metal / black
RC10-9U-300GB	RACK cabinet **19” 9U 300mm**, glass / black

Ask for the welded version of product available as along as the stock last.

19” RACK CABINETS

SYMBOL	NAME
RC19-4U-350MG	RACK cabinet **19” 4U 350mm**, metal / grey
RC19-4U-350GG	RACK cabinet **19” 4U 350mm**, glass / grey
RC19-4U-350MB	RACK cabinet **19” 4U 350mm**, metal / black
RC19-4U-350GB	RACK cabinet **19” 4U 350mm**, glass / black
RC19-4U-450MG	RACK cabinet **19” 4U 450mm**, metal / grey
RC19-4U-450GG	RACK cabinet **19” 4U 450mm**, glass / grey
RC19-4U-450MB	RACK cabinet **19” 4U 450mm**, metal / black
RC19-4U-450GB	RACK cabinet **19” 4U 450mm**, glass / black
RC19-6U-350MG	RACK cabinet **19” 6U 350mm**, metal / grey
RC19-6U-350GG	RACK cabinet **19” 6U 350mm**, glass / grey
RC19-6U-350MB	RACK cabinet **19” 6U 350mm**, metal / black
RC19-6U-350GB	RACK cabinet **19” 6U 350mm**, glass / black
RC19-6U-450MG	RACK cabinet **19” 6U 450mm**, metal / grey
RC19-6U-450GG	RACK cabinet **19” 6U 450mm**, glass / grey
RC19-6U-450MB	RACK cabinet **19” 6U 450mm**, metal / black
RC19-6U-450GB	RACK cabinet **19” 6U 450mm**, glass / black
RC19-9U-450MG	RACK cabinet **19” 9U 450mm**, metal / grey
RC19-9U-450GG	RACK cabinet **19” 9U 450mm**, glass / grey
RC19-9U-450MB	RACK cabinet **19” 9U 450mm**, metal / black
RC19-9U-450GB	RACK cabinet **19” 9U 450mm**, glass / black
RC19-9U-600GG	RACK cabinet **19” 9U 600mm**, glass / grey
RC19-9U-600GB	RACK cabinet **19” 9U 600mm**, glass / black
RC19-12U-450GG	RACK cabinet **19” 12U 450mm**, glass / grey
RC19-12U-450GB	RACK cabinet **19” 12U 450mm**, glass/ black
RC19-12U-600GG	RACK cabinet **19” 12U 600mm** glass / grey
RC19-12U-600GB	RACK cabinet **19” 12U 600mm**, glass / black

RACK cabinets

TECHNICAL PARAMETERS:

- Metal sheet DC01, protected against corrosion and powder painted
- Cable entries in the upper and lower part of the enclosure (size of a single-blind: 80 x 50 mm)
- Numerous ventilation openings
- Front door: metal
- Rack rail adjustment over almost the entire height range of the enclosure.
- Wall mounting
- Welded enclosure, ready to hang
- Lock with two keys included
- Rack standard: 19"
- Available height: 2U, 3U, 3+4U
- Available depth: 120, 180 mm
- Available colours: RAL 9005 RAL 7035



19” RACK CABINETS

SYMBOL	NAME
RC19-2U-120G-T	RACK cabinet **19” 2U 120mm**, grey
RC19-2U-120B-T	RACK cabinet **19” 2U 120mm**, black
RC19-3U-180G-T	RACK cabinet **19” 3U 180mm**, grey
RC19-2U-120B-T	RACK cabinet**19” 2U 180mm**, black
RC19-3+4U-180G-T	RACK cabinet **19” 3+4U 180mm**, grey
RC19-3+4U-180B-T	RACK cabinet **19” 3+4U 180mm**, black


RACK cases

TECHNICAL PARAMETERS:

- DC01 sheet metal, protected against corrosion and powder painted
- Cable entries in the rear wall of the enclosure
  (dimension of a single plug: 80 x 50 mm)
- Ventilation holes on the sides of the enclosure
- Possibility to mount a fan 80x80 mm
  (screw spacing 72x72 mm)
- Front door: metal
  90° opening from the top to bottom
- Has actuators to slow down door opening
- Welded casing, ready to hang
- Wall mounting
- Lock with two keys included
- Rack standard: 19”
- Available height: 2U, 3U
- Available depth: 130, 180 mm
- Available colours: RAL 9005 RAL 9003









19” RACK CASES

SYMBOL	NAME
CR19-2U-130-W	RACK case **19” 2U 130mm**, white
CR19-2U-130-B	RACK case **19” 2U 130mm**, black
CR19-3U-180-W	RACK case **19” 3U 180mm**, white
CR19-3U-180-B	RACK case **19” 3U 180mm**, black

RACK drawers

TECHNICAL PARAMETERS:

- DC01 Metal sheet, protected against corrosion and powder painted
- Cable entry in the rear part of the drawer
  (dimension of a single plug: 80 x 50 mm)
- Metal guiding rails with the possibility of detaching the drawer
- Six- or eight-point fixing
- Assembly kit included
  (lock with two keys, a set of screws)
- Rack standard: 19"
- Available Height: 2U, 3U, 4U
- Available colours: RAL 9005 RAL 7035







ASSEMBLY KIT INCLUDED

19" RACK DRAWERS

SYMBOL	NAME
RD19-2U-G	RACK drawer **19" 2U**, grey
RD19-2U-B	RACK drawer **19" 2U**, black
RD19-3U-G	RACK drawer **19" 3U**, grey
RD19-3U-B	RACK drawer **19" 3U**, black
RD19-4U-G	RACK drawer **19" 4U**, grey
RD19-4U-B	RACK drawer **19" 4U**, black

fixed shelves RACK

TECHNICAL PARAMETERS:

- DC01 sheet metal, protected against corrosion and powder painted
- Four-point mounting to the front rack rails
- Numerous ventilation openings with the possibility to secure devices with cable ties
- Assembly kit included (set of screws)
- RACK standard: 10" / 19"
- Available height: 1U
- Available depth: (10") 150 mm; (19") 170, 200, 250, 270, 300, 350, 400 mm
- Available colours: RAL 9005 RAL 7035



ASSEMBLY KIT INCLUDED

10” FIXED SHELVES

SYMBOL	NAME
RSF10-1U-150G	Fixed shelf **10” 1U 150mm**, grey
RSF10-1U-150B	Fixed shelf **10” 1U 150mm**, black


19” FIXED SHELVES


SYMBOL	NAME
RSF19-1U-170G	Fixed shelf **19” 1U 170mm**, grey
RSF19-1U-170B	Fixed shelf **19” 1U 170mm**, black
RSF19-1U-200G	Fixed shelf **19” 1U 200mm**, grey
RSF19-1U-200B	Fixed shelf **19” 1U 200mm**, black
RSF19-1U-250G	Fixed shelf **19” 1U 250mm**, grey
RSF19-1U-250B	Fixed shelf **19” 1U 250mm**, black
RSF19-1U-270G	Fixed shelf **19” 1U 270mm**, grey
RSF19-1U-270B	Fixed shelf **19” 1U 270mm**, black
RSF19-1U-300G	Fixed shelf **19” 1U 300mm**, grey
RSF19-1U-300B	Fixed shelf **19” 1U 300mm**, black
RSF19-1U-350G	Fixed shelf **19” 1U 350mm**, grey
RSF19-1U-350B	Fixed shelf **19” 1U 350mm**, black
RSF19-1U-400G	Fixed shelf **19” 1U 400mm**, grey
RSF19-1U-400B	Fixed shelf **19” 1U 400mm**, black


adjustable shelves RACK

TECHNICAL PARAMETERS:

- DC01 sheet metal, protected against corrosion and powder painted
- Four-point fixing to the front and rear rack rails
- Numerous ventilation openings with the possibility to secure devices with cable ties
- Assembly kit included (set of screws)
- Adjustable depth
- RACK standard: 19"
- Available height: 1U
- Available depth: 250, 350, 450, 550, 650, 750 mm
- Available colours: RAL 9005 RAL 7035







ASSEMBLY KIT INCLUDED

19" ADJUSTABLE SHELVES

SYMBOL	NAME	RANGE OF ADJUSTMENT
RSA19-1U-250G	Adjustable shelf **19" 1U 250mm**, grey	250 - 410
RSA19-1U-250B	Adjustable shelf **19" 1U 250mm**, black	250 - 410
RSA19-1U-350G	Adjustable shelf **19" 1U 350mm**, grey	350 - 510
RSA19-1U-350B	Adjustable shelf **19" 1U 350mm**, black	350 - 510
RSA19-1U-450G	Adjustable shelf **19" 1U 450mm**, grey	450 - 610
RSA19-1U-450B	Adjustable shelf **19" 1U 450mm**, black	450 - 610
RSA19-1U-550G	Adjustable shelf **19" 1U 550mm**, grey	550 - 710
RSA19-1U-550B	Adjustable shelf **19" 1U 550mm**, black	550 - 710
RSA19-1U-650G	Adjustable shelf **19" 1U 650mm**, grey	650 - 810
RSA19-1U-650B	Adjustable shelf **19" 1U 650mm**, black	650 - 810
RSA19-1U-750G	Adjustable shelf **19" 1U 750mm**, grey	750 - 910
RSA19-1U-750B	Adjustable shelf **19" 1U 750mm**, black	750 - 910

19” PULL-OUT SHELVES FOR KEYBOARD AND MOUSE

SYMBOL	NAME
RSR19-1U-350G-KM	Pull-out shef for keyboard and mouse, grey
RSR19-1U-350B-KM	Pull-out shef for keyboard and mouse, black



TECHNICAL PARAMETERS:


- DC01 sheet metal, protected against corrosion and powder coated
- Six-point mounting for front and rear rack rails
- Metal slides
- Metal handle for easy pulling out
- Assembly kit included (set of screws)
- Rack standard: 19"
- Available height: 1U
- Available depth: 350 mm
- Available colours: RAL 9005 RAL 7035




TECHNICAL PARAMETERS:

- DC01 sheet metal, protected against corrosion and powder coated
- Six-point mounting to the front and rear rack rails
- Numerous ventilation openings with the possibility to secure devices with cable ties
- Metal slides
- Metal handle for easy pull-out
- Assembly kit included (set of screws)
- Rack standard: 19"
- Available height: 1U
- Available depth: 350, 450, 550 mm
- Available colours: RAL 9005 RAL 7035

ASSEMBLY KIT INCLUDED






19” PULL-OUT SHELVES

SYMBOL	NAME
RSR19-1U-350G	Pull-out shelf **19” 1U 350mm**, grey
RSR19-1U-350B	Pull-out shelf **19” 1U 350mm**, black
RSR19-1U-450G	Pull-out shelf **19” 1U 450mm**, grey
RSR19-1U-450B	Pull-out shelf **19” 1U 450mm**, black
RSR19-1U-550G	Pull-out shelf **19” 1U 550mm**, grey
RSR19-1U-550B	Pull-out shelf **19” 1U 550mm**, black

voltage distribution panels

TECHNICAL PARAMETERS:

- DC01 sheet metal, protected against corrosion and powder painted
- Six-point mounting to RACK rails
- Equipped with TS-35 rail and cover with hole 400 x 45.5 mm
- The maximum number of mounted "S" switches - 22 pcs.
- 4 openings in the rear part for cable routing
- Assembly kit included (set of screws)
- Rack standard: 19"
- Available height: 3U
- Available colours: RAL 9005 RAL 7035



19” VOLTAGE DISTRIBUTION PANELS

SYMBOL	NAME
VDP19-3U-G	Voltage distribution panel **19” 3U**, grey
VDP19-3U-B	Voltage distribution panel **19” 3U**, black

ASSEMBLY KIT INCLUDED

- **deepened panel 24 x S**

TECHNICAL PARAMETERS:

- DC01 sheet metal, protected against corrosion and powder painted
- Six-point mounting to RACK rails
- Equipped with TS-35 rail and cover with hole 400 x 45.5 mm
- The maximum number of mounted "S" switches - 24 pcs.
- 4 openings in the rear part for cable routing
- Additional bracket for battery mounting (175 x 85 mm)
- Assembly kit included (set of screws)
- Rack standard: 19"
- Available height: 3U
- Available colours: RAL 9005 RAL 7035



19” VOLTAGE DISTRIBUTION PANELS DEEPENDED

SYMBOL	NAME
VDP19-3U-24XS-G	Voltage distribution panel **19” 3U 24xS**, grey
VDP19-3U-24XS-B	Voltage distribution panel **19” 3U 24xS**, black

cover panels

TECHNICAL PARAMETERS:

- DC01 sheet metal, protected against corrosion and powder painted
- Four-point mounting to the front rack rails
- RACK standard: 10" / 19"
- Available height: (10") 1U; (19") 1U, 2U, 3U, 4U, 5U
- Available colours: RAL 9005 RAL 7035







10” COVER PANELS

SYMBOL	NAME
RP10-1U-G	Cover panel **10” 1U**, grey
RP10-1U-B	Cover panel **10” 1U**, black

19” COVER PANELS


SYMBOL	NAME
RP19-1U-G	Cover panel **19” 1U**, grey
RP19-1U-B	Cover panel **19” 1U**, black
RP19-2U-G	Cover panel **19” 2U**, grey
RP19-2U-B	Cover panel **19” 2U**, black
RP19-3U-G	Cover panel **19” 3U**, grey
RP19-3U-B	Cover panel **19” 3U**, black
RP19-4U-G	Cover panel **19” 4U**, grey
RP19-4U-B	Cover panel **19” 4U**, black
RP19-5U-G	Cover panel **19” 5U**, grey
RP19-5U-B	Cover panel **19” 5U**, black

brush cable organisers

TECHNICAL PARAMETERS:

- Cold rolled galvanized electrolytic sheet 1 mm, powder coated
- Brush works against dust
- Two rows of cable slots at the top and bottom of the panel to facilitate the arrangement of cables regardless of the direction
- The organizer fits cables with a diameter of 3 mm between the tabs,
- there is also the possibility of attaching cables to the tabs with cable ties
- on the sides of the panel there are mounting hooks for RACK rails, they
- guarantee stable and trouble-fre e installation with screws reinforcement in the middle to increase the stability of the panel
- set of 2 screws in 19" 1U and 10" 1U,
- set of 4 screws in 19" 2U and 10" 2U
- 19'' and 10'' rack standard
- available height: 1U; 2U
- available colors: RAL 9005 RAL 7035





CABLE MANAGEMENT PANELS WITH BRUSH 19”

SYMBOL	NAME
BCO19-1U-B	Brush cable organiser 19” 1U, black
BCO19-1U-G	Brush cable organiser 19” 1U, grey
BCO19-2U-B	Brush cable organiser 19” 2U, black
BCO19-2U-G	Brush cable organiser 19” 2U, grey

CABLE MANAGEMENT PANELS WITH BRUSH 10“


SYMBOL	NAME
BCO10-1U-B	Brush cable organiser 10” 1U, black
BCO10-1U-G	Brush cable organiser 10” 1U, grey
BCO10-2U-B	Brush cable organiser 10” 2U, black
BCO10-2U-G	Brush cable organiser 10” 2U, grey

RACK organisers

TECHNICAL PARAMETERS:

- DC01 sheet metal, protected against corrosion and powder painted
- Four-point mounting to RACK rails
- Assembly kit included (set of screws)
- Rack standard: 19"
- Available height: 1U
- Available colours: RAL 9005 RAL 7035


TYPE B





19” RACK ORGANISERS

SYMBOL	NAME
CO19-1U-TB-G	Cable organiser **19” 1U**, grey
CO19-1U-TB-B	Cable organiser **19” 1U**, black
CO19-1U-G	Cable organiser **19” 1U**, grey
CO19-1U-B	Cable organiser **19” 1U**, black




ASSEMBLY KIT INCLUDED

TECHNICAL PARAMETERS:

- DC01 sheet metal, protected against corrosion and powder painted
- Four-point mounting to RACK rails
- Assembly kit included (set of screws)
- Rack standard: 19"
- Available height: 1U, 2U
- Available colours: RAL 9005 RAL 7035





19” RACK ORGANISERS

SYMBOL	NAME
CO19-1U-COMB-G	Cable organiser **19” 1U**, comb, grey
CO19-1U-COMB-B	Cable organiser **19” 1U**, comb, black
CO19-2U-COMB-G	Cable organiser **19” 2U**, comb, grey
CO19-2U-COMB-B	Cable organiser **19” 2U**, comb, black


wall-mounted RACK handles

TECHNICAL PARAMETERS:

- DC01 metal sheet, protected against corrosion and powder coated
- Wall mounting
- Assembly kit included (set of screws)
- Rack standard: 19"
- Available height: 2U, 3U, 4U, 6U
- Available colours: RAL 9005 RAL 7035







ASSEMBLY KIT INCLUDED




19” WALL-MOUNTED RACK HANDLES

SYMBOL	NAME
WRH19-2U-330G	Wall-mounted RACK handle **19” 2U 330mm**, grey
WRH19-2U-330B	Wall-mounted RACK handle **19” 2U 330mm**, black
WRH19-3U-330G	Wall-mounted RACK handle **19” 3U 330mm**, grey
WRH19-3U-330B	Wall-mounted RACK handle **19” 3U 330mm**, black
WRH19-4U-330G	Wall-mounted RACK handle **19” 4U 330mm**, grey
WRH19-4U-330B	Wall-mounted RACK handle **19” 4U 330mm**, black
WRH19-6U-330G	Wall-mounted RACK handle **19” 6U 330mm**, grey
WRH19-6U-330B	Wall-mounted RACK handle **19” 6U 330mm**, black

RACK stands

TECHNICAL PARAMETERS:

- DC01 metal sheet, protected against corrosion and powder coated
- Assembly kit included (set of screws, anti-slip feet)
- Rack standard: 19"
- Available height: 2U, 3U, 4U, 6U
- Available colours: RAL 9005








ASSEMBLY KIT INCLUDED

19” RACK STANDS

SYMBOL	NAME
STR19-2U-B	RACK stand **19” 2U**, black
STR19-3U-B	RACK stand **19” 3U**, black
STR19-4U-B	RACK stand **19” 4U**, black
STR19-6U-B	RACK stand **19” 6U**, black

Fibre-optic networks

Fibre-optic drawers 28
Patch panels 29
Modular patch panels 30
Fixed patch panels drawers 31




Fibre-optic Networks

fibre optic drawers


TECHNICAL PARAMETERS:

- DC01 metal sheet, protected against corrosion and powder coated
- Metal slides with full-extension
- Holes for mounting cable glands (10-14 mm)
- Fitted to vertical RACK rails
- Assembly kit included (set of screws)
- M5 threaded bolt with knurled cap
- Ribs for cable organisation
- Rack standard: 19"
- Available height: 1U, 2U
- Available colours: RAL 9005 RAL 7035



The Fibre optic drawer is sold without front panel.





ASSEMBLY KIT INCLUDED


19” FIBRE OPTIC DRAWERS

SYMBOL	NAME
PPDS-19-1U-G	Fibre-optic drawer pull-out **19” 1U,** grey
PPDS-19-1U-B	Fibre-optic drawer pull-out **19” 1U,** black
PPDS-19-2U-G	Fibre-optic drawer pull-out **19” 2U,** grey
PPDS-19-2U-B	Fibre-optic drawer pull-out **19” 2U,** black

TECHNICAL PARAMETERS:

- DC01 metal sheet, protected against corrosion and powder coated
- Fitted to fibre optic drawer
- Quick assembly by means of clips
- Holes adapted for SC simplex / duplex adapters
- Number of simplex / duplex slots: 12/24; 24/48
- Rack standard: 19"
- Available height: 1U, 2U
- Available colours: RAL 9005 RAL 7035







19” PATCH PANELS

SYMBOL	NAME
P19-1U-12S-G	Patch panel **19” 1U 12xSC simplex,** grey
P19-1U-12S-B	Patch panel **19” 1U 12xSC simplex,** black
P19-1U-24S-G	Patch panel **19” 1U 24xSC simplex,** grey
P19-1U-24S-B	Patch panel **19” 1U 24xSC simplex,** black
P19-1U-12D-G	Patch panel **19” 1U 12xSC duplex,** grey
P19-1U-12D-B	Patch panel **19” 1U 12xSC duplex,** black
P19-1U-24D-G	Patch panel **19” 1U 24xSC duplex,** grey
P19-1U-24D-B	Patch panel **19” 1U 24xSC duplex,** black
P19-2U-24S-G	Patch panel **19” 2U 24xSC simplex,** grey
P19-2U-24S-B	Patch panel **19” 2U 24xSC simplex,** black
P19-2U-48S-G	Patch panel **19” 2U 48xSC simplex,** grey
P19-2U-48S-B	Patch panel **19” 2U 48xSC simplex,** black
P19-2U-24D-G	Patch panel **19” 2U 24xSC duplex,** grey
P19-2U-24D-B	Patch panel **19” 2U 24xSC duplex,** black
P19-2U-48D-G	Patch panel **19” 2U 48xSC duplex,** grey
P19-2U-48D-B	Patch panel **19” 2U 48xSC duplex,** black

TECHNICAL PARAMETERS:

- DC01 metal sheet metal, protected against corrosion and powder painted
- 24 free slots for keystone modules
- Port numbering and description fields
- Support strip
- Numbering on the cable management comb
- Installation kit included (grounding wire, set of screws)
- Pull-out patch panel
- Rack standard: 19"
- Available height: 1U
- Available colours: RAL 9005 RAL 7035







ASSEMBLY KIT INCLUDED

19” MODULAR PATCH PANELS

SYMBOL	NAME
PPM19-1U-24P-G	Modular patch panel **19” 1U 24 ports,** sliding, grey
PPM19-1U-24P-B	Modular patch panel **19” 1U 24 ports,** sliding, black


STALFLEX

fixed patch panel drawers

TECHNICAL PARAMETERS:

- DC01 metal sheet, protected against corrosion and powder painted
- Holes for mounting cable glands (10-14 mm)
- Fitted to vertical RACK rails
- Assembly kit included (set of screws)
- M5 threaded stud with knurled cap
- Ribs for cable organisation
- Rack standard: 19"
- Available height: 1U
- Available colours: RAL 9005 RAL 7035









ASSEMBLY KIT INCLUDED

19” FIXED PATCH PANELS DRAWERS

SYMBOL	NAME
PPDF-19-1U-12SLX-G	Fixed patch panels drawer **19” 1U 12xSC simplex,** grey
PPDF-19-1U-12SLX-B	Fixed patch panels drawer **19” 1U 12xSC simplex,** black
PPDF-19-1U-24SLX-G	Fixed patch panels drawer **19” 1U 24xSC simplex,** grey
PPDF-19-1U-24SLX-B	Fixed patch panels drawer **19” 1U 24xSC simplex,** black
PPDF-19-1U-12DPX-G	Fixed patch panels drawer **19” 1U 12xSC duplex,** grey
PPDF-19-1U-12DPX-B	Fixed patch panels drawer **19” 1U 12xSC duplex**, black
PPDF-19-1U-24DPX-G	Fixed patch panels drawer **19” 1U 24xSC duplex,** grey
PPDF-19-1U-24DPX-B	Fixed patch panels drawer **19” 1U 24xSC duplex,** black

Metal cases

Surface-mounted manifold cabinets 34
telecommunication surface mounted boxes 36
universal cases 38
TPR cases 39
OMP cases 40



Metal cases

Surface-mounted manifold cabinets

TECHNICAL PARAMETERS:

- Made of galvanized cold rolled sheet metal
- Has a coin or flat screwdriver lock
- Has a convenient mounting and adjustment system
- It has breakouts at key points for routing pipes into the enclosure
- Indoor use, surface-mounted design
- Available colours: RAL 9005 RAL 7035



385x121x580
without/with mixer 4/0



BREAK-OUT ELEMENTS ON THE SIDE PANELS

THE LOCK IS OPENED WITH A COIN



Surface-mounted manifold cabinets

SYMBOL	NAME
SMMC-4/0-385B	Surface-mounted manifold cabinet **385mm,** without/with 4/0 mixer, black
SMMC-4/0-385W	Surface-mounted manifold cabinet **385mm**, without/with 4/0 mixer, white
SMMC-6/0-485B	Surface-mounted manifold cabinet **485mm**, without/with mixer 6/0, black
SMMC-6/0-485W	Surface-mounted manifold cabinet **485mm**, without/with mixer 6/0, white
SMMC-8/4-615B	Surface-mounted manifold cabinet **615mm**, without/with 8/4 mixer, black
SMMC-8/4-615W	Surface-mounted manifold cabinet **615mm**, without/with 8/4 mixer, white
SMMC-10/7-760B	Surface-mounted manifold cabinet **760mm**, without/with mixer 10/7, black
SMMC-10/7-760W	Surface-mounted manifold cabinet **760mm**, without/with mixer 10/7, white
SMMC-12/8-845B	Surface-mounted manifold cabinet **845mm**, without/with mixer 12/8, black
SMMC-12/8-845W	Surface-mounted manifold cabinet **845mm**, without/with mixer 12/8, white
SMMC-14/12-1015B	Surface-mounted manifold cabinet **1015mm,** without/with mixer 14/12, black
SMMC-14/12-1015W	Surface-mounted manifold cabinet **1015mm**, without/with mixer 14/12, white
SMMC-16/14-1125B	Surface-mounted manifold cabinet **1125mm**, without/with mixer 16/14, black
SMMC-16/14-1125W	Surface-mounted manifold cabinet **1125mm**, without/with mixer 16/14, white

615x121x580
without/with mixer 8/4





485x121x580
without/with mixer 6/0

845x121x580
without/with mixer 10/7





760x121x580
without/with mixer 12/8

1125x121x580
without/with mixer
14/12






1015x121x580
without/with mixer
16/14


Cabinet for flush-mounted manifold

TECHNICAL PARAMETERS:

- made of cold-rolled, electrolytically galvanized metal sheet, thickness 0.8 mm
- powder coated frame and door
- it is equipped in a lock opened with a coin or a flat screwdriver
- frame depth can be adjusted together with door, up to 65 mm, this function eliminates unsightly or careless assembly of the housing
- it has the ability to adjust the height of the cabinet before final installation in the wall by means of adjustable feet, this option allows the frame to be installed before the final concrete screed is done
- the housing has additional mounting brackets ensuring convenient fixing of the cabinet before plastering the walls, the handles bend in the same place providing 1.5mm distance from the wall
- it is equipped with mounting strips with 4 M6 20mm screws for installation in the manifold
- it enables vertical adjustment of the screws mounted in the bar
- adjustment of the mounting strip is possible horizontally in entire working area of the housing
- breakout elements 200mmx80mm are located in the every wall of the housing (back, side, top, bottom) allowing the pipes to enter the housing
- indoor application, flush-mounted construction
- number of manifold circuits without/with mixer 4/0; 6/0; 8/4; 10/7; 12/8; 14/12; 16/14
- available height: 580mm
- available depth: 121mm
- available width: 380, 480, 610, 760, 840, 1010, 1130mm
- available colours: RAL 9005 RAL 9003



vertical and horizontal adjustment



4 extra handles



385x121x580
without/with mixer 4/0

Cabinet for dlush-mounted manifold

SYMBOL	NAME
FMMC-4/0-380B	Cabinet for flush-mounted manifold **385mm,** without/with 4/0 mixer, black
FMMC-4/0-380W	Cabinet for flush-mounted manifold **385mm**, without/with 4/0 mixer, white
FMMC-6/0-480B	Cabinet for flush-mounted manifold **485mm**, without/with mixer 6/0, black
FMMC-6/0-480W	Cabinet for flush-mounted manifold **485mm**, without/with mixer 6/0, white
FMMC-8/4-610B	Cabinet for flush-mounted manifold **615mm**, without/with 8/4 mixer, black
FMMC-8/4-610W	Cabinet for flush-mounted manifold **615mm**, without/with 8/4 mixer, white
FMMC-10/7-760B	Cabinet for flush-mounted manifold **760mm**, without/with mixer 10/7, black
FMMC-10/7-760W	Cabinet for flush-mounted manifold**760mm**, without/with mixer 10/7, white
FMMC-12/8-840B	Cabinet for flush-mounted manifold **845mm**, without/with mixer 12/8, black
FMMC-12/8-840W	Cabinet for flush-mounted manifold **845mm**, without/with mixer 12/8, white
FMMC-14/12-1010B	Cabinet for flush-mounted manifold **1015mm,** without/with mixer 14/12, black
FMMC-14/12-1010W	Cabinet for flush-mounted manifold **1015mm**, without/with mixer 14/12, white
FMMC-16/14-1130B	Cabinet for flush-mounted manifold **1125mm**, without/with mixer 16/14, black
FMMC-16/14-1130W	Cabinet for flush-mounted manifold **1125mm**, without/with mixer 16/14, white

480x121x580
without/with mixer 6/0





610 x121x580
without/with mixer 8/4

760x121x580
without/with mixer 10/7





840x121x580
without/with mixer 12/8

1010x121x580
without/with mixer
14/12





1130x121x580
without/with mixer
16/14

telecommunication flush-mounted boxes

TECHNICAL PARAMETERS:

- DC01 metal sheet, protected against corrosion and powder coated
- Flush mounted construction
- Galvanised mounting plate
- Perforated cable ducts on the sides of the case
- Bendable structural elements for embedding the enclosure in the wall
- The door can be mounted both sides
- Lock with 2 keys included
- Available colours: RAL 9003





Adapter for installation of sockets type:

- keystone RJ45 - 8pcs,
- F" connectors - 6pcs,
- DUPLEX fibre optic connectors - 1pc,
- electrical socket

TELECOMMUNICATION FLUSH-MOUNTED BOXES


SYMBOL	NAME
TESM-400x340x75P	Telecommunication flush-mounted box **400x340x75mm**

telecommunication surface mounted boxes

TECHNICAL PARAMETERS:

- DC01 metal sheet, protected against corrosion and powder coated
- Surface mounted construction
- Galvanised mounting plate
- Perforated cable ducts on the back and bottom of the case
- Lock with 2 keys included
- Available colours: RAL 9003





Adapter for installation of sockets type:

- keystone RJ45 - 8pcs,
- F" connectors - 6pcs,
- DUPLEX fibre optic connectors - 1pc,
- electrical socket

TELECOMMUNICATION SURFACE MOUNTED BOXES

SYMBOL	NAME
TESM-420x340x90N	Telecommunication surface mounted box **420x340x90mm**

TECHNICAL PARAMETERS:

- DC01 metal sheet, protected against corrosion and powder painted
- Surface mounted construction
- Assembly kit with instructions included
  (set of screws, lock with 2 keys)
- Perforated cable ducts in the upper and lower parts of the case
- The door can be mounted on both sides
- Available colours: RAL 9003

Cases are designed for self-assembly.

ASSEMBLY KIT INCLUDED



UNIVERSAL CASES

SYMBOL	NAME
MB-400X400X160W	Universal case **400x400x160mm,** white, SK
MB-500X500X200W	universal case **500x500x200mm,** white, SK

TPR cases

TECHNICAL PARAMETERS:

- DC01 metal sheet, protected against corrosion and powder painted
- Surface mounted construction
- Welded case, ready to hang
- Lock with 2 keys included
- Perforated cable ducts in the upper and lower parts of the case
- Quick, complete removal of the door
- Mounting plate included
- Available colours: RAL 9003



TPR CASES

SYMBOL	NAME
MB-TPR1M	TPR 1 mini case **240x150x50mm,** white, welding
MB-TPR1	TPR 1 case**240x150x100mm,** white, welding
MB-TPR2	TPR 2 case **200x300x120mm,** white, welding
MB-TPR3	TPR 3 case **300x300x100mm,** white, welding
MB-TPR4	TPR 4 case **400x400x140mm,** white, riveting
MB-TPR5	TPR 5 case **520x400x140mm,** white, riveting
MB-TPR6	TPR 6 case **540x420x180mm,** white, riveting
MB-TPR7	TPR 7 case **500x500x200mm,** white, riveting
MB-TPR8	TPR 8 case **700x500x200mm,** white, riveting

OMP cases

TECHNICAL PARAMETERS:

- DC01 metal sheet, protected against corrosion and powder painted
- Flush mounted construction
- Bendable structural elements embedding the case in the wall
- Lock with 2 keys included
- Perforated cable ducts in the upper and lower part of the case
- The door can be mounted on both sides
- Available colours: RAL 9003



OMP CASES

SYMBOL	NAME
MB-OMP3	OMP-3 case flush **300x300x120mm**
MB-OMP4	OMP-4 case flush **400x400x120mm**
MB-OMP5	OMP-5 case flush **400x500x120mm**



Camera mounts

POLE MOUNTS 44
CORNER MOUNTS 45
BRACKET MINI LOCO 46




Camera mounts

pole mounts


TECHNICAL PARAMETERS:

- Galvanised metal sheet DX51D + Z250
- Optional powder coating (white, black)
- Mounting range 30 - 105 mm
- Assembly kit included
  (threaded bolts, washers, nuts)
- Multiple holes for easy installation of equipment
- Available colours: RAL 9005, RAL 9003, GALVANIZED



x 3,0 mm
thickness






ASSEMBLY KIT INCLUDED

POLE MOUNTS

SYMBOL	NAME
CH-G	Pole mounts, galvanized
CH-W	Pole mounts, white
CH-B	Pole mounts, black

TECHNICAL PARAMETERS:

- Galvanised metal sheet DX51D + Z250
- Optional powder coating (white, black)
- Mounting directly to the building wall
- Diameter of mounting holes fi 10 mm
- Multiple holes for easy installation of equipment
- Available colours: RAL 9005, RAL 9003, GALVANIZED



x 3,0 mm
thickness






CORNER MOUNTS

SYMBOL	NAME
CHC-G	Corner mounts, galvanized
CHC-W	Corner mounts, white
CHC-B	Corner mounts, black

Bracket Mini Loco

TECHNICAL PARAMETERS:

- material ABS
- Pole diameter range: max 65mm
- M8 dowel pin for stable mast or boom mounting
- Adjustable as much as 90° in the horizontal plane
- Mount compatible with Mikrotik SXT Series devices
- Possible installation with wall plugs to masonry wall
- Available colours: RAL 9003



ASSEMBLY KIT INCLUDED

MAST MOUNT

SYMBOL	NAME
BML	Bracket Mini Loco mast mount; white



SERVICES

FROM IDEA TO REALISATION

LASER CUTTING
BENDING
ROLLING MILL
CUTTING
BAND SAW CUTTING FOR STEEL
MACHINING STAINLESS STEEL
WITH HAND TOOLS





LASER WELDING
MIG, MAG, TIG
HEAT WELDING
MACHINE PUNCHING

POWDER COATING
RIVETING
THREADING
PRESS
STYROFOAM CUTTING
CUTTING AND WRAPPING
OF FURNITURE BOARDS





PLOTTERS AND PRINTING
RENDER 3D
SCREEN PRINTING
CARDBOARD PACKAGING
SHRINK SEALER
AUTOMATIC STRETCHING



STALFLEX®

STALFLEX SP. Z O.O.
ul. Piaskowa 134A
97-200 Tomaszów Mazowiecki
Poland

www.stalflex.pl